





■ TWIST OPERATIVE











RETURNS







TW


TW54


TWIN & MEETING DESKS
















MEETING TABLES










■ TWIST - GEN 100






TW216 Transition desk-top


Transition top for 1 pedestal




Transition desk-top


Transition top for 2 pedestals





End pedestal access on both sides





Transition pedestal with scallops to allow cables through and access on both sides




TW32 Mobile pedestal with cushion




■ TWIST VIDEO-CONFERENCE

VIDEO-CONFERENCE UNIT: 74 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR




VIDEO-CONFERENCE UNIT: 100 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR





VIDEO-CONFERENCE TABLE 74 cm HEIGHT

VIDEO-CONFERENCE TABLE 100 cm HEIGHT

FREESTANDING VIDEO-CONFERENCE CADDY ON CASTORS











■ TWIST SPINE

DESK SUPPORTED TO SPINE - LINEAR MODULES









Continuous Electrifications

Single Module Compartment Continuous Electrifications

modules



TWIST - Individual desks, Twin desks and Meeting tables





■ FEATURES

- ① Cast aluminium or beech wood legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 3 Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- 4 Several screen options available (see accessories).
- 5 Several cable managing options available (see accessories).
- 6 PP levellers with anti-skid pad.

■ CONFIGURATION EXAMPLES







TWIST - GEN





■ FEATURES

- ① Cast aluminium or beech wood legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- ③ 120 degree tops which allow linking desks and create a very new working concept. Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- 4 Several screen options available (see accessories).
- **5** Several cable managing options available (see accessories).
- 6 PP levellers with anti-skid pad.
- 7 Ending MFC pedestal with both sides access.
- (3) Steel mobile pedestals with castors. Top cushion available in a wide range of fabrics.
- Middle extension / desk return / meeting table.
- Central support leg for configurations with desk returns


■ CONFIGURATION EXAMPLES







TWIST - GEN 100



TWIST - VIDEO-CONFERENCE



FEATURES

- ① Cast aluminium or beech wood legs offering big frame stability and lightness which allows a very distinguished esthetic.
- 2 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of
- 3 Trapezoidal top allows all users to be more connected and closed during meetings. Table surface made out of 25mm MFC with round corners. 2mm thick
- 4 Steel footrest finished in Chrome (always) only for 100cm height desks.
- 5 Several cable managing options available (see accessories).
- 6 PP levellers with anti-skid pad.
- **1** MFC with aluminium frame "TV" panel fixed on table. "TV and wiring not included".
- 2 PP levellers with anti-skid pad for fixed TV Panel.

Optional conexion:

SCREEN WITHOUT POWER FRAME

It includes:

- EU: 3 power modules GX30 + Cable with Power GX21
- UK: 3 power modules GX30L + Cable with Power GX21L
- **US**: 3 power modules GX30D + Cable with Power GX21D
- 2 USB- 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit

SCREEN WITH POWER FRAME

- EU: 3 power modules GX30 + Cable with Power GX21
- UK: 3 power modules GX30L + Cable with Power GX21L
- US: 3 power modules GX30D + Cable with Power GX21D
- 2 USB 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit
- Power Frame 2 types:
 - For Dedicated CPU
 - -2 USB 3.0 + HDMI + Power Without Dedicated CPU
 - HDMI + 2 powers
- 400. Fixing points for monitors as per VESA 200, 300 and 400. Interior fixing points for CPU (As per VESA 75 and 100).

NOTE: Computers and/or Televisions are not included in the price.

CONFIGURATION EXAMPLES









TWIST

TWIST - VIDEO-CONFERENCE - ELECTRONIC DEVICES

SCREEN WITHOUT POWER FRAME




SCREEN WITH POWER FRAME NO CPU (HDMI + SCHUKO)



SCREEN WITH POWER FRAME

WITH CPU (not included)
(HDMI + USB + SCHUKO)



CAPTION

HDMI 1 (This cable connects TV to Power frame)

HDMI 2 (This cable connects TV to CPU)

TV ELECTRICITY (this cable connects TV to electricity)

CPU ELECTRICITY (this cable connects CPU to electricity)

USB – 2 UDS. (These cables connect CPU with power frame)

WEBCAM (This cable connects webcam with CPU)

GENERAL ELECTRICITY (This cable connects multiple connector to electricity)

CABLE RED (This cable connects CPU to Ethernet point)

PF ELECTRICITY (This cable connects power frame to GX30)

 $\ensuremath{\mathsf{GX30}}$ (Located where power frame is connected, tv and the CPU electricity, in the panel)

POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

- www.actiu.com -



TWIST - SPINE



■ SPINE FEATURES

- ① Filing cabinet support available for single and twin desks. Trapezoidal top's shape.
- 2 Cast aluminium or beech wood legs offering big frame stability and lightness which allows a very distinguished esthetic.
- 3 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 4 Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- 5 Double access for cables allows using it by two sides (optional).
- 6 Several screen options available (see accessories).
- 7 Several cable managing options available (see accessories).
- (8) PP levellers with anti-skid pad.
- MFC filing cabinet. The frame is made of 19mm melamine. Two models are available:
 - Individual module: 180 x 40 x 61 cm Compartment using one side.
 - Double module: 180 x 80 x 61 cm Compartment using 2 sides.
- 2 Interior shelves 19 mm melamine.
- 3 Top cover in 25 mm melamine, veneered soft edges for added safety and durability.
- 2 models of reversible fronts: Sliding melamine 16 mm door and Filing drawer with metal tray and melamine 16 mm front.
- 6 Hollow interior for continuous electrification with access to it from the top using folding doors.
- 6 Die Cast aluminum feet with PVC anti-skid pad.

■ CONFIGURATION EXAMPLES





■ CABLE MANAGEMENT

Twist is available with several cable management options.



Steel metal channel 0,8 mm to 1 mm thick, large capacity for double desks.



Steel metal channel 0,7 mm to 1 mm thick for individual desk.



Metallic cable box container.



Polystyrene cable riser.



Free standing metal cable riser.



Push Latch "T" access.



"U" Access.



Integrated "Q" access.



■SCREENS

TWIST offers a big variety of screens: all upholstered panels, with aluminium tool rails allowing accessories, acoustic or glazed. TWIST also offers sliding and independent screens for desktops without any kind of fixation but with big stability.



Desktop fixed screens.





Free standing screen.

■ MODESTY PANEL



Metallic or MFC.

■ CPU HOLDER



CPU holder of 25-30 x 49 cm and 1,5 mm thick.

■ FINISHES

Melamine



11 Lime Oak



07 Chesnut 10 Light Oak





14 Dark Oak 08 Black





30 White

Glass





10

Estructure













Black / Polished White / Beech Black / Beech

- www.actiu.com -



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

22,83% RECYCLED MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% RECYCLABLE PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,73% RECYCLABLE MATERIALS

■ CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



ECODESIGN Certificate



ISO 9001 Certificate



ISO 14001 Certificate



E1 Certificate by EN 13986



California 93120 Compliant Formaldhyde Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum cartified 2015

STANDARDS

TWIST has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- UNE: EN 527-1:2011. Office Furniture. Desks. Part 1: Dimensions.
- UNE: EN 527-2:2017. Office Furniture. Desks. Part 2: Requirements for safety, resistance and durability.
- UNE: EN 15372:17. Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks.