

# EIDOS

— By Actiu —



EID  
OS

An exquisite set of side tables, aptly named **Eidos**, derived from the Cireek word meaning, "form", "appearance", "type" or "kind".

These side tables offer a level of versatility that allows effortless transformation of lobbies and waiting areas into captivating spaces with their diverse shape represents the essence of an object and giving the area a singular aspect.



**ACTIU**

[www.actiu.com](http://www.actiu.com)

*Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.*

*A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...*



<b>Models</b>	<b>Eidos · Coffee table :: Height 250 mm</b>	
<b>Structure</b>	Legs made of hot-rolled cylindrical steel tube $\varnothing 16$ mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
<b>Technical characteristics</b>		
<b>Supports</b>	Black non-slip rubber pad with felt silent pad-anti scratch.	
<b>Surfaces</b>	<ul style="list-style-type: none"> <li>• <b>MFC:</b> Chipboard with melamine surface in different finishes with a thickness of 19 mm.</li> <li>• <b>MDF:</b> Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge.</li> <li>• <b>COMPACT:</b> 12 mm thick compact board made of wood fibres. Black core covered with white or black high pressure laminate and bevelled edge.</li> <li>• <b>PORCELAIN:</b> Technical stone surface, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge.</li> </ul>	
<b>Measures</b>	<p><b>Total Measures:</b> Height: 250 mm Width: 1200 mm Depth: 600 mm</p>	<p><b>Total Measures:</b> Height: 250 mm Width: <math>\varnothing 900</math> mm Depth: <math>\varnothing 900</math> mm</p>
<b>Dimensions</b>		



<b>Models</b>	<b>Eidos · Coffee table :: Height 310 mm</b>	
<b>Structure</b>	Legs made of hot-rolled cylindrical steel tube $\varnothing 16$ mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
<b>Technical characteristics</b>		
<b>Supports</b>	Black non-slip rubber pad with felt silent pad-anti scratch.	
<b>Surfaces</b>	<ul style="list-style-type: none"> <li>• <b>MFC:</b> Chipboard with melamine surface in different finishes with a thickness of 19 mm.</li> <li>• <b>MDF:</b> Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge.</li> <li>• <b>COMPACT:</b> 12 mm thick compact board made of wood fibres. Black core covered with white or black high pressure laminate and bevelled edge.</li> <li>• <b>PORCELAIN:</b> Technical stone surface, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge.</li> </ul>	
<b>Measures</b>	<p><b>Total Measures:</b> Height: 310 mm Width: 500 mm Depth: 500 mm</p>	<p><b>Total Measures:</b> Height: 310 mm Width: <math>\varnothing 600</math> mm Depth: <math>\varnothing 600</math> mm</p>
<b>Dimensions</b>		



<b>Models</b>	<b>Eidos · Auxiliary Tables :: Height 450 mm</b>	
<b>Structure</b>	Legs made of hot-rolled cylindrical steel tube Ø16 mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
<b>Technical characteristics</b>		
<b>Supports</b>	Black non-slip rubber pad with felt silent pad-anti scratch.	
<b>Surfaces</b>	<ul style="list-style-type: none"> <li>• <b>MFC:</b> Chipboard with melamine surface in different finishes with a thickness of 19 mm.</li> <li>• <b>MDF:</b> Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge.</li> <li>• <b>COMPACT:</b> 12 mm thick compact board made of wood fibres. Black core covered with white or black high pressure laminate and bevelled edge.</li> <li>• <b>PORCELAIN:</b> Technical stone surface, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge.</li> </ul>	
<b>Measures</b>	<p><b>Total Measures:</b> Height: 450 mm Width: 500 mm Depth: 500 mm</p>	<p><b>Total Measures:</b> Height: 450 mm Width: Ø600 mm Depth: Ø600 mm</p>
<b>Dimensions</b>		

Structure

Steel



TEXTURED  
WHITE



TEXTURED  
BLACK

Surfaces

MFC



M00  
WHITE



M15  
WHITE



M11  
LIME OAK



M10  
LIGHT OAK



M07  
CHESTNUT



M14  
DARK OAK



M03  
BLACK  
ANTI-  
FINGERPRINT

Compact Laminate



F30  
WHITE



F38  
BLACK  
ANTI-  
FINGERPRINT

MDF



L10  
LIGHT OAK

Porcelain



N20  
WHITE



N28  
BLACK

Weight and Volume // Ecodesign

EIDOS								
MODEL	Packs	Weight	Volume	Materials Recycled materials	Production Aluminium, steel and wood	Transport Package and thinner free	Use To clean and maintain	Disposal Recyclable materials
				High	100%	100%	Very Easy	High
				High	100%	100%	Very Easy	High
				High	100%	100%	Very Easy	High
				High	100%	100%	Very Easy	High
				High	100%	100%	Very Easy	High
				High	100%	100%	Very Easy	High

**Materials:** Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.  
**Production:** Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.  
**Transport:** Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.  
**Use:** Quality and warranty. Long lasting. Replacements available.  
**Disposal:** Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

## Standards

EIDOS has passed tests done in our technical department as well as the tests done in AIDIMME the Technological Institute for furniture. The tests correspond to:

Standard	Description

## Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

