

# Framery One Compact™



The smart and soundproof office phone booth  
shaping the workspace of tomorrow

**framery**



Framery One Compact is a smart, spacious, one-person phone booth designed for phone and video calls. This state-of-the-art soundproof office pod is packed with technology, featuring world-class sound insulation, echo-free acoustics, adaptive ventilation and automated lighting – so you can focus on your calls and connect online with people anywhere.

## Framery One Compact / Product highlights



### Workdays that flow with ease

Framery One Compact has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.



### Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls.



### Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.



### Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.



## Framery One Compact / Tech features



### 1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

### 2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

### 3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 36 l/s – surpassing industry standards around the world.

### 4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

### 5. AUTOMATIC LIGHTING MODES

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

### 6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

### 7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

### 8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly. Occupancy data is gathered

and displayed through Framery Connect to provide information about when the pod is being used the most.

### 9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery One Compact to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.

### 10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.


---

## Framery One Compact / Design details

Framery One Compact feels spacious inside while taking a minimal amount of floor space. This phone booth is built to last with a lightweight structure and efficient use of materials without compromising performance or quality. The minimalistic design approach uses carefully curated materials, making it a sustainable choice.



Framery One Compact's powder-coated exterior panels are made from deepdrawn steel. Matt black structures made from aluminum create the framing, and sound-control laminated glass finish the structural support.



The pod chassis is made of a light steel structure. Replaceable interior paneling are made from PET sound-absorbing material. Anti-static, stain resistant low-loop pile carpeting covers the flooring.



The top-mounted occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably fits a laptop, and a built-in power outlet and coat hook are provided for all your office accessories.



The height-adjustable seat and built-in footrest prioritize comfortable and ergonomic working positions.



Customize your pod to fit your workplace with over 3000 combinations of colors, fabrics, and high-quality materials to choose from.







# Framery One Compact / Colors and finishes

## EXTERIORS

|   |   |
|---|---|
|  | White (Standard)<br>RAL 9016 Ultramatt  |
|  | Black (Standard)<br>RAL 9005 Ultramatt  |
|  | Gray (Standard)<br>S 7500 - N Ultramatt |
|  | Navy<br>S 7020 - R90B Ultramatt         |
|  | Sand<br>S 2010 - Y20R Ultramatt         |
|  | Powder Blue<br>3421-R86B Ultramatt      |
|  | Winter Moss<br>S 7010-G10Y Ultramatt    |
|  | Blush<br>2728-R01B Ultramatt            |




## INTERIORS

|   |  |
|---|--|
|  | Pure Gray (Standard)<br>Tonal #60123 Gabriel |
|  | Arctic Blue<br>Tonal #66185 Gabriel          |
|  | Sand<br>Tonal #61180 Gabriel                 |
|  | Rouge<br>Tonal #64210 Gabriel                |









## CARPETS

|   |   |
|---|---|
|  | Light Gray (Standard)<br>Fletco carpets |
|  | Dark Blue<br>Fletco carpets             |
|  | Champagne<br>Fletco carpets             |
|  | Grape<br>Fletco carpets                 |

## TABLE TOPS

|   |  |
|---|--|
|  | White (Standard)<br>White laminate                       |
|  | Black<br>Black Laminate with<br>anti-fingerprint surface |
|  | Oak Veneer   |

## SEATING FABRICS

|   |  |
|---|--|
|  | Graphite (Standard)<br>Select #60051 Gabriel |
|  | Dark Blue<br>Select #66144 Gabriel           |
|  | Grape<br>Select #61190 Gabriel               |
|  | Rose<br>Select #65117 Gabriel                |
|  | Powder Blue<br>Select #67098 Gabriel         |
|  | Beige<br>Select #61184 Gabriel               |
|  | Green<br>Select #68209 Gabriel               |
|  | Mustard<br>Select #62098 Gabriel             |

Design your own  
on our website



## MATERIALS AND FINISHES



**EXTERIOR PANELS** made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



**INTERIOR PANELS** made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



**SEATING MATERIALS** are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellent.



**CARPET FLOORING** is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

# Framery smart office solutions / Set your office up for success


Framery’s smart solutions boost productivity and flexibility with intuitive workplace tech. Enhance the employee experience with seamless room booking, access workplace-wide insights, and make data-driven decisions. Book any space instantly—on-site or on the go.



NEW

## Framery Space Overview™


**ROOM BOOKING SOLUTIONS** Framery Space Overview shows real-time space availability across nearby workspaces. Employees can instantly view which spaces are free, along with their location and capacity, and book them directly.




**Framery Connect™**  
**WORKPLACE MANAGEMENT**  
A smart platform for workplace management.



**Framery Connect Sensor™**  
**WORKPLACE MANAGEMENT**  
Collect usage data from any space.



**Framery App™**  
**ROOM BOOKING SOLUTIONS**  
Find and book spaces in seconds.



**Framery Room Display™**  
**ROOM BOOKING SOLUTIONS**  
See availability and book any room with ease.

### Unparalleled support

Get instant support from a Framery specialist for any issues that may arise with your smart pods or other products.

### Automatic updates

Instantly receive software updates through your smart pod’s 4G connection to enable the future developments.

### Privacy assured

No identifiable user data is collected —only workspace occupancy information is tracked.

## FRAMERY PLUS—EVERYTHING YOU NEED FOR A SUCCESSFUL WORKPLACE

Unlock all the tools and features your workplace needs to thrive with our subscription based Framery Plus™—new smart pod customers receive a complimentary 1-year subscription.

Read more



# Framery smart pods / Environmental data sheet

Framery's new smart pods set the standard in sustainability – with durability that is measured in decades, light-weight product structures, use of truly recyclable materials, and modularity that allows the life cycle of the products to be extended indefinitely. Framery participates in the Science Based Targets initiative, and has set emission reduction targets aligned with the goal of limiting global warming to 1.5°C compared to pre-industrial levels.



## Optimal material use

Framery has achieved a 23% material reduction with its new line of products – which equals over 1 million kg of raw material annually – while increasing their level of performance compared to previous models. The carbon footprint in the manufacturing stage of the new products is 16% smaller on average. A change from plywood to steel as the main construction material also allows Framery to continue reducing its environmental impact and strive towards a 50% reduction in product CO2 emissions by 2028.



## Production and waste management

All our pods are manufactured in Tampere, Finland using zero-emission electricity. Our factory logistics are operated on biogas and renewable diesel. The material efficiency rate of our production was 94.9% in 2022. Virtually no waste goes to landfill.



## Environmental impact

We have conducted life cycle assessment studies for our products to measure their environmental impacts. Alongside their

carbon footprint, we also study other impacts such as resource depletion and water scarcity. The results are verified by an independent third party, and then published and registered as an EPD to provide stakeholders with reliable information on our products' environmental performance in a transparent way.



## Product performance

The modular design of our pods facilitates a long product lifetime, and our customers typically use them for many years. The same pod can be used by one customer after another, enabling multiple life cycles and saving valuable resources. Thanks to their modular design, our pods are easy to disassemble, refurbish if needed, and reassemble at a new location. Our products are GREENGUARD Gold certified, and highly maintainable with easily available spare parts.



## Transportation

Logistical hubs in Singapore and the USA reduces air freight, and allows us to load our shipping containers more tightly. The products are made-to-order, and their

modularity helps us achieve this with minimal impact.



## Materials

To increase circularity, the pods contain mono-materials rather than composites for 100% recyclability. They also contain more recycled materials, including 20% recycled steel and aluminum, 29% recycled glass, and fabric featuring 80% recycled plastic. Framery will also be among the select few companies in the world pioneering the use of SSAB fossil-free steel in our products, starting as soon as the material becomes available in 2026.



## Certificates and studies available

- Life Cycle Assessment (LCA)
- Environmental Product Declarations (EPD)
- Health Product Declarations (HPD) & Declare labels
- UL GREENGUARD Gold
- Contribution to Green Building Certifications such as LEED, BREEAM, SKA and WELL

100% END OF LIFE  
RECYCLABILITY  
\*Framery One 95%



80 %  
RECYCLED PET



20 %  
RECYCLED STEEL



29%  
RECYCLED GLASS



CERTIFIED  
TEXTILES




CERTIFIED  
WOOD



# Framery One Compact™

## Technical specifications



### Performance

Speech level reduction: 30dB  
Maximum airflow: 36 l/s  
Low energy consumption: 27W

### Sustainable design

Built to last for decades  
Light-weight product structures  
Refurbishable & movable

### Connectivity


Built-in 4G connection  
Automatic software updates  
Framery Connect digital services

# Framery One Compact / Technical specifications

## OVERVIEW

|                    |  |
|--------------------|--|
| Soundproofing      | <b>CLASS A 30 DS,A (dB) reduction</b><br>Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy   |
| Sound masking      | <b>FRAMERY OFFICE SOUND MASKING SYSTEM™</b> A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft   |
| Ventilation        | <b>MAXIMUM AIRFLOW</b> 36 l/s, 76 CFM (129.6 m³/h)<br><b>DEFAULT AIRFLOW</b> 26 l/s, 55 CFM (94 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed.<br><b>STANDBY MODE</b> 16 l/s, 34 CFM, (58 m³/h)   |
| Lighting           | <b>CEILING LIGHT</b> Color temperature 4000K, illuminance up to 500lux on the table top.<br><b>VIDEO LIGHT</b> Color temperature 4000K, illuminance up to 400lux on the user's face.<br><b>PRE-SET LIGHTING MODES</b> Standard mode & Video call mode. Lighting can also be adjusted manually  |
| Presence detection | <b>SENSOR TECHNOLOGY</b> mmWave radar  |
| Dimensions         | <b>EXTERIOR</b> 225 × 103 × 100 cm / 88.6 × 40.7 × 39.4 in (h,w,d)<br><b>WITH CASTERS</b> Additional 0.5 cm / 0.2 in (h)<br><b>DOORWAY</b> 204 × 85 cm / 80.2 × 33.5 in (h, w)<br><b>WEIGHT</b> 253 kg / 558 lb<br><b>THRESHOLD</b> 11.6 cm / 4.6 in (also with casters)   |
| Connectivity       | Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform.<br><b>WLAN</b> Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz |

## DIMENSIONS / MAIN VIEW



Framery One Compact is  
UL GREENGUARD GOLD  
certified




Framery One Compact shipped in North  
America is UL 962 listed

# Framery One Compact / Technical specifications

## MATERIALS

|                      |   |
|----------------------|---|
| Exterior & structure | <b>EXTERIOR PANELS</b> Powder coated matt steel panels<br><b>FRAMES</b> Structure matt black steel<br><b>DOOR FRAME</b> Matt black aluminum and plastic structure<br><b>GLASS</b> Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in)<br><b>CHASSIS</b> Light steel and PET sound-absorbing structure<br><b>HANDLE</b> Mix of black plastic and steel |
| Interior materials   | <b>INTERIOR PANELS</b> PET sheets laminated with recycled polyester fabric<br><b>UPHOLSTERY FABRIC</b> Gabriel Tonal<br><b>CARPET</b> Antistatic and stain resistant low loop pile carpet<br><b>TABLE</b> Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. The table bottom is black thermoformed felt               |
| Seating materials    | <b>UPHOLSTERY FABRIC</b> Gabriel Select<br><b>FABRIC COMPOSITION</b> 85 % New Zealand wool / 15 % Polyamide<br><b>LEG &amp; FOOTREST</b> Steel and aluminum   |
| Furniture dimensions | <b>TABLE SIZE</b> 76,5 x 36 cm / 30 x 14 in (w, d)<br><b>TABLE HEIGHT</b> 102 cm / 40.2 in<br><b>MAX LOAD FOR THE TABLE</b> 50 kg / 110 lb<br><br><b>SEAT SIZE</b> 38 x 38 cm / 15 x 15 in (w, d)<br><b>SEAT HEIGHT</b> 59–85 cm / 23.2–33.5 in<br><b>MAX LOAD FOR THE SEAT</b> 135 kg / 300 lb   |

## DIMENSIONS / TOP VIEW



## SAFETY

|                |  |
|----------------|--|
| Fire safety    | No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements |
| Seismic safety | A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces  |



# Framery One Compact / Technical specifications


## POWER AND SPACE REQUIREMENTS

|                    |   |
|--------------------|---|
| Power              | <p><b>OUTLETS</b> 1 × power outlet</p> <p>Optional: 1 × power outlet, 1-2 × USB-C PD charge ports (65W) or 1 × LAN port (with cable)</p> <p><b>POWER CONSUMPTION</b></p> <p>Default settings 27W. Highest settings 40W. Standby mode 14W.</p> <p><b>INPUT</b> 100–240 VAC, 10 A*, 50–60 Hz</p> <p><b>OUTPUT AC (POWER OUTLET)</b></p> <p>100–240VAC, 6.6A, 50–60 Hz</p> <p><b>OUTPUT USB-C PD CHARGE PORT 65W</b></p> <p><small>*In India power outlet type 16A is used</small></p> |
| Space requirements | <p><b>DOOR SWING ANGLE</b> 180°</p>   |
| Door handedness    | <p>Right-handed by default</p> <p>(can also be installed left-handed)</p>   |
| Operating space    | <p>From back to front (pod depth + doorway) 185 cm / 72.9 in. Room height requirement 235 cm / 92.5 in. For seismic anchoring leave 50 cm / 19.7 in of free space outside of exterior panel walls. For sprinkler installation requirements leave 50 cm / 19.7 in of free space on the outside of the table wall</p>   |
| Installation space | <p>Installation requires 50 cm / 19.7 in of free space around the pod</p>   |
| Movability         | <p>Relocate the pod without the need for disassembly by adding casters (optional). Levelling guides must be lifted when moving the pod, and lowered when placed in position</p>   |


## SHIPPING CRATE

|            |   |
|------------|---|
| Dimensions | 228.5 × 114.5 × 86.5 cm / 90 × 45.1 × 34.1 in |
| Weight     | 310 kg / 683 lb                               |
|            | Crates can be stacked (max 3 boxes)           |

## DIMENSIONS / POWER CORD SPECIFICATIONS



## DIMENSIONS / OPERATING SPACE



For the doers,  
leaders, thinkers,  
dreamers, creators,  
teams, pioneers  
and innovators.  
**For people who  
get it done.**